

AD-A148 013

SPATIOTEMPORAL CHARACTERISTICS OF VISUAL LOCALIZATION
(U) SRI INTERNATIONAL MENLO PARK CA C A BURBECK JUL 84
AFOSR-TR-84-1068 F49620-82-K-0024


1/1

UNCLASSIFIED

F/G 5/10

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION Unclassified			1b. RESTRICTIVE MARKINGS										
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT unlimited Approved for public release distribution unlimited.										
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE			5. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TR- 84 - 1068										
4. PERFORMING ORGANIZATION REPORT NUMBER(S) Annual Report SRI Project 4498			7a. NAME OF MONITORING ORGANIZATION AFOSR/NL										
6a. NAME OF PERFORMING ORGANIZATION SRI International		6b. OFFICE SYMBOL (If applicable)	7b. ADDRESS (City, State and ZIP Code) Bldg # 410 Bolling AFB, DC 20332										
6c. ADDRESS (City, State and ZIP Code) Menlo Park, CA 94025			9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER F49620-82-K-0024										
8a. NAME OF FUNDING/SPONSORING ORGANIZATION Air Force Office of Scientific Research		8b. OFFICE SYMBOL (If applicable)	10. SOURCE OF FUNDING NOS.										
8c. ADDRESS (City, State and ZIP Code) Bolling AFB, DC 20332		<table border="1"> <tr> <th>PROGRAM ELEMENT NO.</th> <th>PROJECT NO.</th> <th>TASK NO.</th> <th>WORK UNIT NO.</th> </tr> <tr> <td>61102F</td> <td>2313</td> <td>A5</td> <td></td> </tr> </table>				PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT NO.	61102F	2313	A5	
PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT NO.										
61102F	2313	A5											
11. TITLE (Include Security Classification) Spatiotemporal Characteristics of Visual Localization													
12. PERSONAL AUTHOR(S) Burbeck, Christina A.													
13a. TYPE OF REPORT Annual		13b. TIME COVERED FROM 9/30/83 TO 9/29/84		14. DATE OF REPORT (Yr., Mo., Day) 1984 July 20									
15. PAGE COUNT 5													
16. SUPPLEMENTARY NOTATION													
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)										
FIELD	GROUP	SUB. GR.	Human vision, visual psychophysics, relative spatial localization, eye movements, detection.										
6	16												
19. ABSTRACT (Continue on reverse if necessary and identify by block number)													
<p>We continue to study the spatial and temporal characteristics of relative spatial localization, seeking to establish conditions in which it can be isolated from the processes underlying the detection of motion and form. Thus far we have found that stabilizing the retinal image degrades localization accuracy by a factor of 2, and further that this degradation does not result from a reduction in the apparent contrast of the stimulus. Drifting the stimulus slowly at a velocity known to restore contrast sensitivity to normal (unstabilized) values does not improve localization accuracy noticeably. However, localization accuracy is restored to normal if the otherwise-stabilized stimulus is moved rapidly. We have also found that localization accuracy improves with increasing contrast for contrasts significantly above the detection threshold, supporting our hypothesis that location and detection are parallel visual processes. We have also found that localization accuracy is as good at large object separations as it is at very small separations (the vernier acuity range where sensitivity is known to be extremely acute). Thus, spatial localization is</p>													
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS <input type="checkbox"/>			21. ABSTRACT SECURITY CLASSIFICATION Unclassified										
22a. NAME OF RESPONSIBLE INDIVIDUAL Harry R. Haraldsen, AFOSR, Bldg. 410 Bolling AFB, DC 20332			22b. TELEPHONE NUMBER (Include Area Code) (202) 764-4994		22c. OFFICE SYMBOL								

DD FORM 1473, 83 APR

EDITION OF 1 JAN 73 IS OBSOLETE.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

84 11 26 118

AD-A148 013

DTIC FILE COPY

(4)

DTIC
ELECTED
NOV 28 1984

19. cont.

not primarily a foveal function that is degraded elsewhere, but rather a general visual ability. Further, there is evidence that localization is done by several distinct sub-processes, each of which is optimally sensitive to a different range of object separations. There is also some indication that the mechanisms underlying localization of widely separated targets are qualitatively different from those underlying visual acuity. Future directions for research include 1) using a reaction-time paradigm to explore the temporal characteristics of the spatial localization process, and 2) using stimuli that are localized in both the frequency and space domains to investigate the spatial characteristics of this process.

AFOSR Contract Number F49620-82-K-0024
Annual Technical Report
July 1984

FY-1984 ANNUAL REPORT
SPATIOTEMPORAL CHARACTERISTICS OF VISUAL LOCALIZATION

SRI INTERNATIONAL
333 Ravenswood Avenue
Menlo Park, CA 94025

Dr. Christina A. Burbeck



Accession For

THE GRA&I

WFO TAB

Unpublished

Justification

Distribution/

Availability Codes

Avail and/or

Dist

Special

A-1

Controlling Office: USAF Office of Scientific Research/NL
Bolling Air Force Base, DC 20332

Approved for public release
distribution unlimited.

idea that localization and motion are independent processes.

C. Comparison of Localization of Widely Separated Targets and Visual Acuity

Although an early study of visual acuity by Keesey (J. Opt. Soc. Am., 50, 769, 1960) reported that stabilization has no effect on accuracy, we find that stabilization elevates thresholds for localization of widely separated objects by a factor of two. We are exploring this discrepancy and are seeking ways to determine whether fundamental differences exist in the processes underlying spatial localization at different object separations. We have found that localization accuracy is as good at large object separations as it is at very small ones (the hyperacuity region). Therefore, there is no single localization mechanism that is optimal at small separations and less sensitive at larger separations. Localization of widely separated objects is clearly an interesting and important visual ability in its own right.

D. Temporal Characteristics of Spatial Localization

Repeated attempts to measure spatial localization as a function of stimulus duration suggest that stimulus duration is not the critical variable. Visual processing seems to continue for some time after the stimulus has been turned off, even when a masking stimulus is presented at the offset of the localization stimulus. Our studies suggest that reaction time data may be of considerably more interest in investigating this very slow visual process. (It is common for the subject to respond several seconds after the stimulus has been presented.) We anticipate implementing a cued-response reaction time paradigm to explore the timing of this process.

E. Effects of Stimulus Contrast

We are measuring the effects of stimulus contrast on spatial localization. Thus far we have found that localization accuracy continues to improve at contrasts several times greater than the detection threshold, even when the subject makes localization judgments only on those trials in which he clearly sees both lines of the two-line stimulus. This result is analogous to the classical result by Tolhurst (J. Phys. 231, 385-402, 1973) on the separation of motion and form. Just as a moving object can be detected at contrasts at which its motion cannot be seen, so an object can be detected at contrasts at which its location cannot be accurately determined.

Because of its theoretical significance, this result is being investigated particularly carefully. Specifically, we are checking to ensure that accuracy does not improve because high-frequency elements of the square bars are becoming visible. To do this, we use raised sine bars of low nominal spatial frequency. The result holds. However, one

property of sine bars is that the effective width of the bar increases as contrast increases. As a check on the effect of increasing bar width, localization accuracy is also being measured with bars of various widths as a function of contrast. Preliminary data on this suggest that width is not a factor over the relevant range of bar widths. It is probable that we will be able to conclude unequivocally that the localization mechanism has a different contrast response function than does the detection mechanism.

F. Spatial Sensitivity of the Spatial Localization Process

Our results on localization accuracy with square bars and with raised sine bars suggest that localization of widely separated objects is based either on the low-frequency content of the targets or on the mean of the light distribution. (A similar result has been reported for a visual acuity task [Watt, Morgan, and Ward, Invest. Ophth. 1, 66 (1983)]. We will be exploring this question further, measuring localization accuracy with segments of high-frequency sine wave gratings in place of bars to distinguish between an explanation based on a spatial frequency description and one based on a light distribution description of the stimulus.

III. PUBLICATIONS

A. Publications in the Past Year Supported by this Grant

"Independence of orientation and size in spatial discriminations," with D. Regan, J. Opt. Soc. Am. 73, 1691-1694 (1983).

"On the role of retinal image motion in relative spatial localization," in press, Vision Research.

"Separate channels for the analysis of form and location", in preparation, J. Physiol.

"A comparison of spatial localization at small and large object separations", in preparation, J. Opt. Soc. Am.

B. Other Publications in the Past Year

"Critical problems in spatial vision", with D. H. Kelly, CRC Critical Reviews in Biomedical Engineering, Vol. 10, 125-177, 1984.

"Role of local adaptation in the fading of stabilized images," with D.H. Kelly, J. Opt. Soc. Am. A 1, 216-220, (1984).

"On isolating the properties of local adaptation in human vision," submitted to J. Physiol. London.

..
..

IV. PROFESSIONAL PERSONNEL

Christina A. Burbeck

V. NEW DISCOVERIES AND SPECIFIC APPLICATIONS

- o Rapid eye movements or rapid stimulus movements are essential for optimal spatial localization. This suggests that careful fixation and the suppression of large saccades may impair localization performance.
- o Over a large range of velocities, stimulus motion does not degrade relative spatial localization accuracy.
- o Contrast detection and localization are identifiably different processes. Localization accuracy continues to improve at contrasts well above detection threshold.

END

FILMED

12-84

DTIC